BBA

Gene Structure and Expression

Vol. 1130, 1992

# Cumulative Contents

## *Review*

Nucleosome positioning
*F. Thoma (Switzerland)* 1

## *Regular Papers*

Aldolase–DNA interactions in a SEWA cell system
*Z. Ronai, R. Robinson, S. Rutberg, P. Lazarus and M. Sardana (USA)* 20

Identification of two critical base pairings in 5′ untranslated regions affecting translation efficiency of synthetic uncapped globin mRNAs
*V. Francès, F. Morlé and J. Godet (France)* 29

A codon sugar structure strongly influences tRNA binding to programmed ribosomes
*K.O. Soldatkin, O. Koval'chuke, A.P. Potapov and A.V. El'skaya (Ukraine)* 38

The use of oligonucleotide probes containing 2′-deoxy-2′-fluoronucleosides for regiospecific cleavage of RNA by RNase H from *Escherichia coli*
*S. Schmidt, A. Niemann, N.F. Krynetskaya, T.S. Oretskaya, V.G. Metelev, V.V. Suchomlinov, Z.A. Shabarova and D. Cech (Germany, USSR)* 41

Group I phospholipase $A_2$ mRNA expression in rat glandular stomach and pancreas. Ontogenic development and effects of cortisone acetate
*J. Dimberg, C. Gustafson-Svärd, B. Weström, C. Tagesson and P. Söderkvist (Sweden)* 47

Defective DNA injection by alkylated and non-alkylated bacteriophage T7
*G. Czaika and M.D. Mamet-Bratley (Canada)* 52

Rat $\alpha_1$-microglobulin: co-expression in liver with the light chain of inter-$\alpha$-trypsin inhibitor
*A. Lindqvist, T. Bratt, M. Altieri, W. Kastern and B. Åkerström (Sweden, Denmark)* 63

Regulation of the *Escherichia coli lac* operon expressed in human cells
*D.S.F. Biard, M.R. James, A. Cordier and A. Sarasin (France)* 68

## *Short Sequence-Papers*

Nucleotide sequence of a cDNA encoding porcine testis 17$\alpha$1-hydroxylase cytochrome *P*-450
*A.J. Conley, S.E. Graham-Lorence, M. Kagimoto, M.C. Lorence, B.A. Murry, K. Oka, D. Sanders and J.I. Mason (USA)* 75

Specific hybridization probes for mouse $\alpha$2(IX) and $\alpha$1(X) collagen mRNAs
*K. Elima, M. Metsäranta, J. Kallio, M. Perälä, I. Eerola, S. Garofalo, B. De Crombrugghe and E. Vuorio (Finland, USA)* 78

Listeriolysin genes: complete sequence of *ilo* from *Listeria ivanovii* and of *lso* from *Listeria seeligeri*
*A. Haas, M. Dumbsky and J. Kreft (Germany)* 81

Cloning and characterization of the *Dictyostelium discoideum ras*G genomic sequences
*S.M. Robbins, J.G. Williams, G.B. Spiegelman and G. Weeks (Canada, UK)* 85

Cloning of HSP60 (*GroEL*) operon from *Clostridium perfringens* using a polymerase chain reaction based approach
*E. Rusanganwa, B. Singh and R.S. Gupta (Canada)* 90

A discordance between the human muscle NCAM sequence and those seen in other NCAM cDNA clones
*R.J. Rossell, A. Malik, W. Helfrich, J.T. Kemshead and K. Patel (UK, Netherlands)* 95

Nucleotide sequence of a cDNA for canine amylin
*K. Albrandt, E. Mull, G.J.S. Cooper and M.J. Johnson (USA)* 97

Mammalian protein serine/threonine phosphatase 2C: cDNA cloning and comparative analysis of amino acid sequences
*D.J. Mann, D.G. Campbell, C.H. McGowan and P.T.W. Cohen (UK)* 100

Cloning of the human activin receptor cDNA reveals high evolutionary conservation
*M.M. Matzuk and A. Bradley (USA)* 105

cDNA cloning of mitochondrial $\Delta^3$, $\Delta^2$-enoyl-CoA isomerase of rat liver

*Y. Tomioka, A. Hirose, H. Moritani, T. Hishinuma, T. Hashimoto and M. Mizugaki (Japan)* 109

The genes for ribosomal protein L15 and the protein equivalent to secY in the archaebacterium *Haloarcula* (*Halobacterium*) *marismortui*
*E. Arndt (Germany)* 113

The gene for $tRNA^{Lys}$ is encoded in the rapeseed (*Brassica napus L.*) mitochondrial DNA
*H. Handa and K. Nakajima (Japan)* 117

Cloning and nucleotide sequence of the *Brucella abortus gro*E operon
*D. Gor and J.E. Mayfield (USA)* 120

Molecular cloning of an import precursor of the δ-subunit of the human mitochondrial ATP synthase complex
*E.M. Jordan and G.A.M. Breen (USA)* 123

## *Regular Papers*

A reexamination of the stopped-flow measured hydrogen-deuterium exchange rates in nucleic acid double helices
*J.-L. Girardet and J. Ramstein (France)* 127

Genomic organization of human fetal specific *P*-450IIIA7 (cytochrome *P*-450HFLa)-related gene(s) and interaction of transcriptional regulatory factor with its DNA element in the 5′ flanking region
*S. Itoh, T. Yanagimoto, S. Tagawa, H. Hashimoto, R. Kitamura, Y. Nakajima, T. Okochi, S. Fujimoto, J. Uchino and T. Kamataki (Japan)* 133

Promoter regions of the human X-linked housekeeping genes *PRPS1* and *PRPS2* encoding phosphoribosylpyrophosphate synthetase subunit I and II isoforms
*T. Ishizuka, T. Iizasa, M. Taira, S. Ishijima, T. Sonoda, H. Shimada, N. Nagatake and M. Tatibana (Japan)* 139

Human $\alpha_2$-HS-glycoprotein/bovine fetuin homologue in mice: identification and developmental regulation of the gene
*F. Yang, Z.-L. Chen, J.M. Bergeron, R.L. Cupples and W.E. Friedrichs (USA)* 149

Identification of distinct P-glycoprotein gene sequences in rat
*K.L. Deuchars, M. Duthie and V. Ling (Canada)* 157

c-*myc* protein complex binds to two sites in human hsp70 promoter region
*T. Taira, Y. Negishi, F. Kihara, S.M.M. Iguchi-Ariga and H. Ariga (Japan)* 166

Analysis of the 5′ flanking region of the rat proliferating cell nuclear antigen (PCNA) gene
*Y. Ohashi, Y. Sawada, T. Moriuchi and K. Fujinaga (Japan)* 175

An efficient expression system for a variant form of the cytotoxic protein α-sarcin in *Escherichia coli*
*T. Oka, Y. Aoyama, Y. Natori, T. Katano and Y. Endo (Japan)* 182

Cyclic AMP selectively up-regulates calmodulin genes I and II in PC12 cells
*G. Bai, R.A. Nichols and B. Weiss (USA)* 189

Differential tissue expression of multiple genes for chicken smooth muscle/nonmuscle myosin regulatory light chains
*A. Inoue, M. Yanagisawa and T. Masaki (Japan)* 197

## *Short Sequence-Papers*

Cloning of HSP70 (dnaK) gene from *Clostridium perfringens* using a general polymerase chain reaction based approach
*K.A. Galley, B. Singh and R.S. Gupta (Canada)* 203

Complete cDNA sequence of bovine α1-antitrypsin
*D. Sinha, M.R. Bakhshi and E.P. Kirby (USA)* 209

Sequence variations and promoter activities of long terminal repeats from rat intracisternal A-particles
*C.S. Furter, J.M. Rentsch and M.W. Bertchtold (Switzerland)* 213

Cloning and sequence analysis of two embryonic β-like globin cDNAs (y and z) of hamster
*H. Li, M. Subar, K.M. Lee and T. Boussios (USA)* 218

Nucleotide sequence of hamster *S*-adenosylmethionine decarboxylase cDNA
*B.L. Tekwani, B.A. Stanley and A.E. Pegg (USA)* 221

Molecular cloning of chick liver HMG 2a cDNA and developmental expression of HMG 2a mRNA
*T. Oka, Y. Endo, M. Ito, K.-i. Miyamoto, T. Sasakawa, I. Suzuki and Y. Natori (Japan)* 224

Nucleotide sequence of a region duplicated in *Escherichia coli toc* mutants
*T.-P. Yang and R.E. Depew (USA)* 227

*spoVG* sequence of *Bacillus megaterium* and *Bacillus subtilis*
*D.S.S. Hudspeth and P.S. Vary (USA)* 229

Molecular cloning of curculin, a novel taste-modifying protein with a sweet taste
*K. Abe, H. Yamashita, S. Arai and Y. Kurihara (Japan)* 232

## *Review*

Eukaryotic replication origins
*P.G. Held and N.H. Heintz (USA)* 235

## *Regular Papers*


Evolutionarily conserved structure of the 3′ non-translated region of a Chinese hamster poly-ubiquitin gene
*M. Nenoi, K. Mita and S. Ichimura (Japan)* 247

High-resolution analysis of c-*fos* chromatin accessibility using a novel DNase I-PCR assay
*J. Feng and B. Villeponteau (USA)* 253

The use of chimeric gene constructs to express a bacterial endoglucanase in mammalian cells
*J. Hall, B.H. Hirst, G.P. Hazlewood and H.J. Gilbert (UK)* 259

Expression and aggregation of recombinant αA-crystallin and its two domains
*K.B. Merck, W.A. De Haard-Hoekman, B.B. Oude Essink, H. Bloemendal and W.W. De Jong (Netherlands)* 267

Nucleotide sequence of the genome of the bacteriophage α3: interrelationship of the genome structure and the gene products with those of the phages, φX174, G4 and φK
*K.-I. Kodaira, K. Nakano, S. Okada and A. Taketo (Japan)* 277

Characteristic electron microscopical projections of the small ribosomal subunit from *Thermomyces lanuginosus*
*G. Harauz and D. Flannigan (Canada)* 289

The control of mRNA stability in *Escherichia coli*: manipulation of the degradation pathway of the polycistronic *atp* mRNA
*P. Ziemke and J.E.G. McCarthy (Germany)* 297

Nuclear distribution of histone deacetylase: a marker enzyme for the internal nuclear matrix
*M.J. Hendzel and J.R. Davie (Canada)* 307

Molecular characterization of a *Drosophila melanogaster* variant strain defective in the *Sgs-4* gene dosage compensation
*M. Furia, F.A. Digilio, D. Artiaco, G. Favia and L.C. Polito (Italy)* 314

α-Fetoprotein expression in fetal kidney cells does not require enhancers
*J.P. Rabek, D.Y. Hsie and J. Papaconstantinou (USA)* 317


## *Short Sequence-Papers*


Complete nucleotide sequence of band 3 related anion transport protein AE2 from human kidney
*H. Gehrig, W. Müller and H. Appelhans (Germany)* 326

Mouse liver cytochrome *P*-450 (P-450IIIAM1): its cDNA cloning and inducibility by dexamethasone
*T. Yanagimoto, S. Itoh, D. Muller-Enoch and T. Kamataki (Japan, Germany)* 329

Nucleotide sequences of serine tRNAs from *Bacillus subtilis*
*J. Matsugi, H.-T. Jia, K. Murao and H. Ishikura (Japan)* 333

Characterization of the 5′ flanking region of the rat $Na^+/K^+$-ATPase β1 subunit gene
*B. Liu and G. Gick (USA)* 336

Extended secondary structure as a basis of increased RNA stability in a thermophilic alga *Cyanidium caldarium*
*S.A. Elela and R.N. Nazar (Canada)* 339

Cloning of two adult hamster globin cDNAs (α and $\beta^{major}$)
*K.M. Lee, M. Subar, H. Li and T. Boussios (USA)* 343

The complete nucleotide sequence of the Atlantic salmon growth hormone I gene
*R. Male, A.H. Nerland, J.B. Lorens, W. Telle, I. Lossius and G.K. Totland (Norway)* 345

The nucleotide sequence of rat liver glycogen phosphorylase cDNA
*K. Schiebel, E. Pekel and D. Mayer (Germany)* 349

*Cumulative Contents, Vol. 1130* 353

*Author Index* 356